Chemical and size effects of hygroscopic aerosols on light scattering coefficients

Ignatius N. Tang

Environmental Chemistry Division, Department of Applied Science, Brookhaven National Laboratory Upton, New York

Abstract. The extensive thermodynamic and optical properties recently reported [Tang and Munkelwitz, 1994a] for sulfate and nitrate solution droplets are incorporated into a visibility model for computing light scattering by hygroscopic aerosols. The following aerosol systems are considered: NH₄HSO₄, (NH₄)₂SO₄, (NH₄)₃H(SO₄), NaHSO₄, Na₂SO₄, NH₄NO₃, and NaNO₃. In addition, H₂SO₄ and NaCl are included to represent freshly formed sulfate and background sea-salt aerosols, respectively. Scattering coefficients, based on 1 µg dry salt per cubic meter of air, are calculated as a function of relative humidity for aerosols of various chemical compositions and lognormal size distributions. For a given size distribution the light scattered by aerosol particles per unit dry-salt mass concentration is only weakly dependent on chemical constituents of the hygroscopic sulfate and nitrate aerosols. Sulfuric acid and sodium chloride aerosols, however, are exceptions and scatter light more efficiently than all other inorganic salt aerosols considered in this study. Both internal and external mixtures exhibit similar light-scattering properties. Thus for common sulfate and nitrate aerosols, since the chemical effect is outweighed by the size effect, it follows that observed light scattering by the ambient aerosol can be approximated, within practical measurement uncertainties, by assuming the aerosol being an external mixture. This has a definite advantage for either visibility degradation or climatic impact modeling calculations, because relevant data are now available for external mixtures but only very scarce for internal mixtures.

Introduction

Inorganic sulfates and nitrates frequently constitute a major fraction of the ambient aerosol. In particular, atmospheric sulfates are often found to be associated with the fine particulate mass, in the size range between 0.1 and 1.0 μ m, where a particle scatters sunlight most efficiently. Thus a strong correlation between visibility degradation and sulfate mass concentration has always been observed [Waggoner et al., 1976; White, 1976; Leaderer et al., 1979]. In more detailed studies, investigators have applied multiple regression analyses to apportioning light scattering and absorption to all gaseous species and chemical constituents in ambient aerosols measured at various locations [White and Roberts, 1977; Cass, 1979; Hasan and Dzubay, 1983; Malm et al., 1994]. Visibility models have also been developed to compute light extinction coefficients from the Mie theory, using either the measured or the estimated physical properties of the aerosol and the known optical and thermodynamic properties of its constituents [Tang et al., 1981; Sloane, 1983; Sloane and Wolff, 1985; Larson et al., 1988].

Inorganic salt aerosols are mostly hygroscopic by nature and exhibit the property of deliquescence in humid air [Tang, 1980]. The phase transformation from a solid particle to a saline droplet usually occurs spontaneously when the relative humidity in the surrounding atmosphere reaches a level, known as the deliquescence point, that is specific to the chemical composition of the aerosol particle [Orr et al., 1958; Tang, 1976; Tang and Munkelwitz, 1993]. A typical growth curve for a

Copyright 1996 by the American Geophysical Union.

Paper number 96JD03003. 0148-0227/96/96JD-03003\$09.00

(NH₄)₂SO₄ particle upon increasing humidity is shown by open circles in Figure 1, where the particle mass change by either acquiring or losing water is plotted as a function of the relative humidity (%RH). The phase transformation at the deliquescence point, 80% RH for (NH₄)₂SO₄, is clearly indicated. The droplet growth above the deliquescence point can be computed from the water activity data available in the literature for solutions below the saturation concentration. Upon decreasing humidity, the droplet loses water by evaporation and continues to do so gradually even below the saturation (or deliquescence) point, as shown by the solid circles in Figure 1, until about 38% RH for (NH₄)₂SO₄ when suddenly it crystalizes. The supersaturated solution region between the saturation and the crystalization points is a metastable state readily attained by suspended saline droplets but not by the bulk solution. Field measurements by Rood et al. [1989] have revealed that such supersaturated solution droplets are indeed present abundantly and ubiquitously in the atmosphere. Until very recently, however, few data are available for visibility modeling over the low relative humidity region where atmospheric aerosol particles are expected to be present in the form of supersaturated solution droplets.

In this paper the extensive thermodynamic and optical properties reported by *Tang and Munkelwitz* [1994a] for sulfate and nitrate solution droplets are incorporated into a visibility model for computing light scattering by hygroscopic aerosols much below the deliquescence humidities. The aerosol systems considered include NH₄HSO₄, (NH₄)₂SO₄, (NH₄)₃H(SO₄)₂, NaHSO₄, Na₂SO₄, NH₄NO₃, and NaNO₃. In addition, H₂SO₄ and NaCl are also included in the study to represent freshly formed sulfate and background sea-salt aerosols, respectively. The effects of aerosol size, size distribution, chemical compo-




Figure 1. Phase transformation, growth, and evaporation of an $(NH_4)_2SO_4$ particle as a function of relative humidity at 25°C.

sition, and relative humidity on light scattering are studied by model computations. Contributions by external and internal mixtures are also compared and discussed.

Scattering Coefficient Calculations

The scattering coefficient, $b_{\rm sca}$, for an aerosol of given size distribution, f(D), with respect to diameter D may be computed, using the following formula:

$$b_{\rm sca} = \int_0^\infty \pi(D/2)^2 Q_{\rm sca}(\alpha, n) Nf(D) dD$$
 (1)

where α , the optical parameter, is equal to $\pi D/\lambda$. N is particle number concentration, and $Q_{\rm sca}(\alpha,n)$ is single-particle scattering cross section for given α , wavelength λ , and refractive index n. The wavelength, $\lambda=0.58~\mu{\rm m}$, is chosen as recommended by *Presle and Horvath* [1978] to give the maximum perception of an object under daylight conditions. At this wavelength there is negligible absorption by either salts or their aqueous solutions and therefore $b_{\rm sca}$ is equal to the extinction coefficient $b_{\rm ext}$.

Throughout this study, a constant dry-salt loading, w_0 , of 1 $\mu g \ m^{-3}$ of air was employed as the basis of computation. Thus for a lognormal size distribution of dry-salt particles with count median diameter D_g and geometric standard deviation σ_g the particle number concentration N is computed from the mass balance:

$$w_0 = (4/3) \pi \rho_0 N \int_0^\infty (D_0/2)^3 f(D_0) dD_0$$
$$= (1/6) \pi \rho_0 N D_g^3 \exp(4.5 \ln^2 \sigma_g)$$
(2)

where D_0 is the diameter of the dry salt of density ρ_0 . Willeke and Brockmann [1977] have made extensive computations of extinction coefficients for lognormally modeled, multimodal particle volume distributions without considering particle growth. The particle number distribution chosen in this study facilitates light-scattering computations for particles undergo-

ing growth and evaporation in a changing humidity environment, which is the main interest of this study.

The droplet growth factor, β , which is the change in size of a solution droplet in equilibrium with the surrounding humidity, is defined by the following equation:

$$\beta = D/D_0 = \left(\frac{100}{x} \frac{\rho_0}{\rho}\right)^{1/3} \tag{3}$$

where D is the diameter of the droplet of density ρ at x wt %. For droplets the equilibrium relative humidity is increased by the Kelvin effect due to the surface tension of the droplet curvature according to the following equation:

$$\% RH = 100 a_w \exp\left(\frac{4\gamma M}{\rho RTD}\right)$$
 (4)

where a_w and γ are, respectively, the water activity and surface tension of a bulk solution of composition x and density ρ . M is the molecular weight of water, R the gas constant, and T the absolute temperature. For a typical solution droplet, say $(NH_4)_2SO_4$, of diameter 0.1 μ m, the exponential factor amounts to 1.017, using $\gamma=82.3$ dyn cm⁻² and $\rho=1.394$ g cm⁻³ for a 40 wt % solution. It means that the curvature effect would raise the equilibrium relative humidity of this droplet by only 1.7% above what would be required for a bulk solution of the same composition. Since surface tension data are not readily available for supersaturated solutions, the curvature effect is generally neglected in droplet growth/evaporation computations for aerosol particles in the optical size range. Thus throughout this study, % RH is given by $100a_w$.

The density ρ and water activity a_w are expressed by polynomials:

$$\rho = 0.9971 + \sum A_i x^i \tag{5}$$

$$a_w = 1.0 + \sum C_i x^i \tag{6}$$

Except for NaCl, H_2SO_4 , and NH_4NO_3 the coefficients A_i and C_i were taken from Tang and Munkelwitz [1994a]. Refractive indices were computed from the appropriate partial molal refraction values, R_1 and R_2 , also given by Tang and Munkelwitz [1994a], using the formula

$$R = y_1 R_1 + y_2 R_2 = V(n^2 - 1)/(n^2 + 2)$$
 (7)

where y and M are mole fraction and molecular weight, respectively, and subscripts 1 and 2 refer to water and the solute, respectively. V is the molar volume given by

$$V = \frac{1}{\rho} \left(y_1 M_1 + y_2 M_2 \right) \tag{8}$$

Data for aqueous NaCl, H_2SO_4 , and NH_4NO_3 solutions at 25°C are given in Table 1. For dry salts the density ρ_0 and refractive index n_0 values are listed in Table 2, together with the relative humidities at respective deliquescence points (% RHD) and crystalization points (% RHC).

Scattering coefficient calculations were performed on a 486-based PC, following essentially the algorithm given by *Tang et al.* [1981]. (Note that in the 1981 paper the numerical integration steps at each RH were inadvertently multiplied by a droplet growth factor, making the computed extinction coefficients larger by such a factor. This error has since been corrected in later calculations.)

Table 1. Thermodynamic and Optical Properties of H₂SO₄, NH₄NO₃ and NaCl Solutions at 25°C

| | H_2SO_4 | NH_4NO_3 | NaCl |
|-------|-------------|------------|-------------|
| C_1 | -5.196 (-3) | -3.65 (-3) | -6.366 (-3) |
| C_2 | 9.746 (-5) | -9.155(-6) | 8.624 (-5) |
| C_3 | -9.693(-6) | -2.826(-7) | -1.158(-5) |
| C_4 | 9.405(-8) | 0 ` ´ | 1.518 (-7) |
| A_1 | 7.367(-3) | 4.05(-3) | 7.41(-3) |
| A_2 | -4.934(-5) | 9.0(-6) | -3.741(-5) |
| A_3 | 1.754(-6) | 0 | 2.252(-6) |
| A_4 | -1.104(-8) | 0 | -2.06(-8) |
| R_2 | 13.45 | 15.08 | 8.95 |

Results and Discussions

Dry-salt aerosols. Scattering coefficients, $b_{\rm sca}$ (km⁻¹/ μ g dry salt m⁻³), were first computed for dry-salt aerosols of two diameters, $D_g=0.3$ and 0.6 μ m, as a function of σ_g varying from 1.01 to 2.5, using the data in Table 2. All dry-salt particles are assumed to be spherical in shape so that Mie computations can be performed. The results are presented in Figures 2 and 3 for NH₄⁺ and Na⁺ salts, respectively. The NH₄⁺-salt aerosols exhibit similar light-scattering properties, especially at broader size distributions, because these salts have similar refractive indices and densities. On the other hand, the Na⁺-salt aerosols scatter light less efficiently than corresponding NH₄⁺-salt aerosols for the same size distribution. This is so because the Na⁺ salts have larger densities and therefore according to (2) produce fewer particles as scatterers per unit mass concentration.

Droplet growth factors. The droplet growth factor over the dry particle, β , may be computed from (3) for each electrolyte at any relative humidity, as long as the particle remains a solution droplet. This factor is species specific and independent of the size distribution of an aerosol. Figure 4 shows the computed droplet growth factors as a function of % RH for all electrolytes considered in this study. It is interesting to note that droplets containing Na+ salts (dashed curves, excluding NaCl) appear to grow larger than the NH₄⁺-salt solution droplets (solid curves). Both H₂SO₄ and NaCl solution droplets grow even larger than all other salt solution droplets at $\sim 80\%$ RH or lower. Furthermore, the growth of the NH₄⁺-salt solution droplets below $\sim 90\%$ RH tends to differ very little from one another. At 80% RH the droplet growth factors of the NH₄⁺-salt aerosols have a value close to 1.5, a value quoted by Hegg et al. [1993] in their discussion on the effect of relative humidity on light scattering by tropospheric aerosols.

Hydrated aerosols. Light scattering by aerosols composed of saline droplets depends, in principle, on both optical and

Table 2. Thermodynamic and Optical Properties of Dry-Salt Acrosols

| | Density | Refractive Index | % RHD | % RHC |
|-----------------------------------|---------|---------------------|-------|---------|
| NH ₄ H SO ₄ | 1.78 | 1.473 | 40 | 20-0.05 |
| $(NH_4)_3H(SO_4)_2$ | 1.83 | 1.51 | 69 | 44-35 |
| $(NH_4)_2SO_4$ | 1.76 | 1.53 | 80 | 40-37 |
| NH ₄ NO ₃ | 1.725 | 1.554 | 62 | 25-32 |
| NaHSO ₄ | 2.476 | 1.46 | 52 | < 0.05 |
| Na ₂ SO ₄ | 2.68 | 1.48 | 84 | 59-57 |
| NaNO ₃ | 2.261 | 1.587 | 74.5 | 30-0.05 |
| NaCl | 2.165 | 1.544 | 75.3 | 48-46 |




Figure 2. Light scattering by dry NH₄⁺-salt aerosols.




Figure 3. Light scattering by dry Na⁺-salt aerosols.




Figure 4. Droplet growth factors for hygroscopic aerosols: 1, NH₄HSO₄; 2, (NH₄)₂SO₄; 3, NH₄NO₃; 4, NaHSO₄; 5, Na₂SO₄; 6, NaNO₃; 7, (NH₄)₃H(SO₄)₂. Number 7 lies between 1 and 2 and is not clearly visible.

chemical properties of the aerosol. Scattering coefficients, $b_{\rm sca}$ $(km^{-1}/\mu g dry salt m^{-3})$, were computed as a function of % RH for the hygroscopic aerosols of two dry-salt size distributions: $(D_a, \sigma_a) = (0.3 \mu \text{m}, 1.5)$ and $(0.6 \mu \text{m}, 1.5)$. The results are presented in Figures 5 and 6, respectively. Here, to illustrate particle growth/evaporation but not overcrowd the plots, lightscattering curves of a complete growth/evaporation cycle are shown for (NH₄)₂SO₄ and NaNO₃ aerosols only. All other curves represent droplet evaporation down to approximately the crystalization relative humidities specific to each species. The results show that similar to the dry-salt aerosols discussed above, hygroscopic aerosols of the larger size (0.6 μ m, 1.5) scatter light less efficiently than the smaller size (0.3 μ m, 1.5) aerosols even after they have grown into droplets. Except for H₂SO₄ and NaCl, all hygroscopic aerosols of the same initial dry-salt size distribution appear to group together into a rather narrow band, indicating a very weak dependence on the chemical constituent of the aerosol. In addition, NH₄ salts (solid lines) and Na+ salts (dashed lines) seem to form separate subgroups within the band. Both H₂SO₄ and NaCl aerosols, however, scatter light more efficiently than all other sulfate and nitrate aerosols considered in this study.

Hegg et al. [1993] have discussed a hygroscopic growth factor (not to be confused with the droplet growth factor discussed above) for tropospheric aerosols, which is defined as the ratio of the light scattering by an aerosol at 80% RH to that at 30% RH. At 30% RH, most of the hygroscopic aerosols are dehydrated, except for a few highly hygroscopic salts such as NH₄HSO₄ and NaHSO₄ [Tang and Munkelwitz, 1994a]. This hygroscopic growth factor has been identified as a key parameter in the assessment of the climatic impact of sulfate aerosols

[Charlson et al., 1992]. A single global value of 1.7 ± 0.3 , derived from direct nephelometer measurements at a few selected geographical locations, has been utilized to date as a first estimate in climate change modeling studies. Hegg et al. [1993], in pointing out the theoretical basis of this growth factor, have showed that the factor is influenced by the position of the initial dry aerosol size distribution relative to the efficient light-scattering droplet size range. For the two initial dry-salt size distributions studied in this work, namely, (0.3 μm, 1.5) and (0.6 μ m, 1.5), the hygroscopic growth factor for the NH₄⁺-salt aerosols has a mean value of approximately 2.41 and 2.13, respectively. The factor becomes even larger with smaller particle size and narrower size distribution, as also pointed out by *Hegg et al.* [1993]. On the other hand, if the aerosol particles are not completely dry at 30% RH, as in the case of NH₄HSO₄, the two size distributions studied here would yield respective hygroscopic growth factors of 2.16 and 1.76, which are closer to the observed global value of 1.7 ± 0.3 .

Mixed-salt aerosols. Since the ambient aerosol is far from being a single-salt aerosol, the question of external and internal mixtures often comes up when assessing the contributions to light extinction by chemical components in the aerosol. The findings of this work show that for common hygroscopic aerosols the chemical effect is rather outweighed by the size effect. It follows that observed light scattering may be approximated without appreciable errors by assuming the aerosol being an external mixture. An example is given here for the mixed-salt aerosol composed of 55.5% by wt NH₄NO₃ and 44.5% (NH₄)₂SO₄. The optical and thermodynamic data for this mixed-salt system have been reported by *Tang et al.* [1981]. The results are presented in Figure 7, where light-scattering coef-




Figure 5. Light scattering by hygroscopic aerosols ($D_g = 0.3 \ \mu \text{m}, \ \sigma_g = 1.5$). 1, NH₄HSO₄; 2, (NH₄)₂SO₄; 3, NH₄NO₃; 4, NaHSO₄; 5, Na₂SO₄; 6, NaNO₃; 7, (NH₄)₃H(SO₄)₂.

ficients are plotted as a function of % RH for both single-salt aerosols and external and internal mixtures of two dry-salt size distributions: (0.3 μ m, 1.5) and (0.6 μ m, 1.5). As expected, the light-scattering curves for each size distribution fall inside a narrow band, indicating that within practical measurement uncertainties the chemical effect is negligible. Note that, here, the aerosol particles are assumed to remain as solution droplets in the relative humidity range considered. If, however, atmospheric conditions prevail such that the relative humidity has fallen below the crystalization points and that some aerosol particles are still in the solid state, light scattering by such a multicomponent and multiphase aerosol certainly requires due consideration of the deliquescence properties of hygroscopic aerosols [Tang and Munkelwitz, 1993, 1994b].

Conclusions

Light-scattering coefficients as a function of % RH have been calculated for the sulfate and nitrate aerosols of atmospheric importance, using the extensive optical and thermodynamic properties recently published. It is shown that the chemical effect on light scattering is outweighed by the size effect of the aerosols under consideration. The contributions by external and internal mixtures are compared and found to differ only slightly. It is concluded that at least for the common sulfate and nitrate salt aerosols, external mixtures may be used as an aerosol surrogate in model computations to predict light-scattering properties. This has a definite advantage for either visibility degradation or climatic impact modeling studies, since relevant data are now available for pure components but only very scarce for internal mixtures. This work also points out the




Figure 6. Light scattering by hygroscopic aerosols ($D_g = 0.6 \ \mu \text{m}$, $\sigma_g = 1.5$): 1, NH₄HSO₄; 2, (NH₄)₂SO₄; 3, NH₄NO₃; 4, NaHSO₄; 5, Na₂SO₄; 6, NaNO₃; 7, (NH₄)₃H(SO₄)₂. Number 7 lies between 1 and 2 and is not clearly visible.




Figure 7. Light scattering by mixed-salt aerosols: external versus internal mixtures.

need for more information on the optical and thermodynamic properties of the highly acidic aerosols and background seasalt aerosols, as these aerosols are shown to fall outside the bounds for the common sulfate and nitrate aerosols in light-scattering behavior.

Acknowledgments. The author thanks Lisa A. Moravan and Sonia Kreidenweis at the Colorado State University for pointing out a possible computational error in the 1981 paper. This research was performed under the auspices of the U.S. Department of Energy under contract DE-AC02-76CH00016.

References

Cass, G. R., On the relationship between sulfate air quality and visibility with examples in Los Angeles, *Atmos. Environ.*, 13, 1069–1084, 1979.

Charlson, R. J., S. E. Schwartz, J. M. Hales, R. D. Cess, J. A. Coakley Jr., J. E. Hansen, and D. J. Hofmann, Climate forcing by anthropogenic aerosols, *Science*, *255*, 423–430, 1992.

Hasan, H., and T. G. Dzubay, Apportioning light extinction coefficients to chemical species in an atmospheric aerosol, *Atmos. Environ.*, 17, 1573–1581, 1983.

Hegg, D., Larson, T., and P.-F. Yuen, A theoretical study of the effect of relative humidity on light scattering by tropospherical aerosols, *J. Geophys. Res.*, *98*, 18,435–18,439, 1993.

Larson, S. M., G. R. Cass, K. J. Hussey, and F. Luce, Verification of image processing based on visibility models, *Environ. Sci. Technol.*, 22, 629–637, 1988.

Leaderer, B. P., T. R. Holford, and J. A. J. Stolwijk, Relationship between sulfate aerosol and visibility, *J. Air Pollut. Control Assoc.*, 29, 154–157, 1979.

Malm, W. C., K. A. Gebhart, J. Molenar, T. Cahill, R. E. Eldred, and D. Huffman, Examining the relationship between atmospheric aerosols and light extinction at Mount Rainier and North Cascades National Parks, Atmos. Environ., 28, 347–360, 1994.

- Orr, C., Jr., F. K. Hurd, and W. J. Corbett, Aerosol size and relative humidity. *J. Colloid Sci.*, 13, 472–482, 1958.
- Presle, G., and H. Horvath, Visibility in turbid media with colored illumination, Atmos. Environ., 12, 2455–2459, 1978.
- Rood, M. J., M. A. Shaw, T. V. Larson, and D. S. Covert, Ubiquitous nature of ambient metastable aerosol, *Nature*, 337, 537–539, 1989.
- Sloane, C. S., Optical properties of aerosols: Comparison of measurements with model calculations, *Atmos. Environ.*, 17, 409–919, 1983.
- Sloane, C. S., and G. T. Wolff, Prediction of ambient light scattering using a physical model responsive to relative humidity: Validation with measurements from Detroit, *Atmos. Environ.*, 19, 669–680, 1985.
- Tang, I. N., Phase transformation and growth of aerosol particles composed of mixed salts, J. Aerosol Sci., 7, 361–371, 1976.
- Tang, I. N., Deliquescence properties and particle size change of hygroscopic aerosols, in *Generation of Aerosols*, edited by K. Willeke, chap. 7, Butterworth, Stoneham, Mass., 1980.
- Tang, I. N., and H. R. Munkelwitz, Composition and temperature dependence of the deliquescence properties of hygroscopic aerosols, *Atmos. Environ.*, 27A, 467–473, 1993.
- Tang, I. N., and H. R. Munkelwitz, Water activities, densities, and refractive indices of aqueous sulfates and sodium nitrate droplets of atmospheric importance, J. Geophys. Res., 99, 18,801–18,808, 1994a.
- Tang, I. N., and H. R. Munkelwitz, Aerosol phase transformation and growth in the atmosphere, *J. Appl. Meteorol.*, 33, 792–796, 1994b.

- Tang, I. N., W. T. Wong, and H. R. Munkelwitz, The relative importance of atmospheric sulfates and nitrates in visibility reduction, Atmos. Environ., 15, 2463–2471, 1981.
- Waggoner, A. P., A. J. Vanderpol, R. J. Charlson, S. Larsen, L. Granat, and C. Tragardh, Sulfate-light scattering ratio as an index of the role of sulfur in tropospheric optics, *Nature*, 261, 120–122, 1976.
- West, C. J., and C. Hull, *International Critical Tables*, McGraw-Hill, New York, 1933.
- White, W. H., Reduction of visibility by sulfate in photochemical smog, *Nature*, 264, 735–736, 1976.
- White, W. H., and P. T. Roberts, On the nature and origin of visibility-reduction aerosols in the Los Angeles basin, *Atmos. Environ.*, 11, 803–812, 1977.
- Willeke, K., and J. E. Brockmann, Extinction coefficients for multimodal atmospheric particle size distributions, *Atmos. Environ.*, 11, 995–999, 1977.
- I. N. Tang, Environmental Chemistry Division, Department of Applied Science, Brookhaven National Laboratory, Upton, NY 11973.

(Received March 30, 1995; revised August 18, 1995; accepted September 9, 1995.)